

FAKULNÍ NEMOCNICE PLZEŇ

I. INTERNÍ KLINIKA







Sepse

"The difficulty lies, not in the new ideas, but in escaping from the old ones, which ramify, for those brought up as most of us have been, into every corner of our minds."


John Maynard Keynes



Hele Hippokrate, všichni říkají, že choroby jsou způsobené zlými duchy, co si myslíš ty? Nesmyls Galene, nějaký toxin musí být příčinou chorob!



ca. 460-370 př.n.l.





HUGO SCHOTTMULLER (1867-1936)




Modern definition of sepsis(1914): "Sepsis is present if a focus has developed from which pathogenic bacteria, constantly or periodically, invade the blood stream in such a way that this causes subjective and objective symptoms."

"Therapy should not be directed against bacteria in the blood but against the released bacterial toxins"






the man who changed the way the world looked at science One of "The Hundred Most Influential Books" sales at 1.4 million copies. For a cerebral work of this calibre, these are Harry Potter-scale numbers.




When we sense lipopolysaccharide (endotoxin), we are likely to turn on every defense at our disposal; we will bomb, defoliate, blockade, seal off, and destroy all the tissues in the area.

Our arsenals for fighting off bacteria are so powerful . . . That we are in more danger from them than from the invaders. We live in the midst of explosive devices; we are mined.

We are, in effect, at the mercy of our own pentagons . . .



Roger C. Bone (1941-1997)



 "Sepsis is defined as an invasion of microorganisms and/or their toxins into the bloodstream, along with the organism's reaction against this invasion." (1989)

A Piece of My Mind

Another 'Taste of Lemonade'

Ten months ago on this page, I recounted my experience of being diagnosed with renal cancer. After recovering from up operation in which my right kidney and advenag dand were removed, I became more appreciative and reflective toward the world around me. At the Medical College of Ohio School of Medicine Convocation some months later, I shared lemonade and cookies with new medical students.

Later, in my formal talk to the students, I advised them to balance the scientific with the humanistic. Students, like many of us, are eaught up in the pressures of daily life and do not take time to savor the present. I told them that they must devote time to be with family and friends and to enjoy a Beethoven symphony or a good novel or a fine dinner.

a Beetnoven sympnony or a good novel or a me dunner. Recently I learned that I have metastasis to both lungs and a positive bone scan. As a cancer survivor, I have spent the last two years with the threat of this possibility. The reality is not easy to accept. There is denial, anger, and a sense of

However, I have come to realize that the observations I wrote on this page are still true:

1. Good health is often taken for granted; however, it is the

 Good health is often taken for granted; however, it is the most precious commodity one possesses.
 One's spouse, children, family, and friends are the

One's spouse, children, family, and friends are the essential ingredients that allow one to endure an experience such as a serious and unexpected illness.
 When faced with death, one realizes the importance of

God and one's relationship to God.

4. The things one does throughout one's life that seem so

urgent are, most of the time, not so important.
Those observations have become a way of life for me.
In my previous essay, I quoted American writers Thornon Wilder and Henry David Thoreau, who both noted that most men and women lead frantic and desperate lives, seldom pausing to reflect on their activities. I am glad that the initial diagnosis of cancer prepared me for the most feared of its complications, metastatic disease. However, I am most happy that the initial diagnosis made me think anew about life and therefore consider the contemplative philosophies of both Wilder and Thoreau. One activity that brought me peace after the initial diagnosis was quiet times where I just enjoyed being alone surrounded by nature, similar to, I imagine, Thoreau contemplating Walden Pond.

The day that my metastasis was confirmed was, of course, very traumatic the shock of the findings and an initial flurry about what should be done and how soon. Finally, I politely called a halt to all activity for the day. I told my staff and friends at work that I was simply going home to be with my family and to sit and look at the river.

The state of the s

JAMA, December 6, 1995-Vol 274, No. 21

Our house sits on a rather steep bluff and the Maur River curves around a very wide bend below it. Our y's alopes gently to the edge of the bluff, then descends the grasses and wildflowers and bashes to the edge of the Britsh and squirrles and chipmushs populate this slope. If you stand above the slope on a quiet day gazing of view, you can hear the rustling of the animals in the Occasionally, a bird sings sweetly. It was a perfect October day, sunny, 70 degrees

It was a perfect October day, sunny, 70 degrees breeze. The wide, blue river sparkled when sti wind. On both sides of the river trees grew dow They were still mostly green, with only a hint

The river's course flows in such a way the year the sun seems to set exactly into the way being extinguished by the cool water.

I sat on a lawn chair, my suit coat and the

I sat on a lawn chair, my suit coat and to beside me. At that moment, time sto present, and future—was compresse time.

Thoreau went to Walden Pond to s in communion with nature, he four He recognized and recorded for us closest to the unity between nat


Thornton Wilder, nearly one Our Town, emphasized that everyday wonders of our wor end quickly and without wa simple: Life is short; be eer roses. Over time, the seem important. Wilder state married, and before yor your side is 70 and has


Time slipped past, a ing next to my chair daughter had just n the drink. The w chirped. Far dov

I took my wifing at life pass The Taste of Lemonade
On a Summer Afternoon

Biotech éra










Definice sepse Septikémie Endotoxic shock Sepsis-induced MODS







SIRS - vše nebo nic Max 10% úmrtí





- Transfúze
- Výživa
- Sedace
- Tekutiny
- CRRT, UPV, ECMO







- Urosepse
- Peritonotis
- **Fasciitis**
- Cholangoitis
- Meningitis



Biotech éra Surviving Sepsis Campaign Paradigm shift 公 Paradigm shift Selhání anti-sepsis éra antibiotik pokusů i.v. tekutiny Stop ve snížení mortality Endotoxic shock Sepsis-induced MODS 1. definice sepse Septikémie

2001 Intenzivisté v říši divů



Owned, published, and © copyrighted, 2001, by the MASSACHUSETTS MEDICAL SOCIETY

Volume 345(19)

8 November 2001

pp 1368-1377

Early Goal-Directed Therapy in the Treatment of Severe Sepsis and Septic Shock



Notice: Because of its possible clinical implications, this article is being released before its publication date. The report will be published on March 8.

EFFICACY AND SAFETY OF RECOMBINANT HUMAN ACTIVATED PROTEIN C FOR SEVERE SEPSIS


GORDON R. BERNARD, M.D., JEAN-LOUIS VINCENT, M.D., PH.D., PIERRE-FRANCOIS LATERRE, M.D., STEVEN P. LAROSA, M.D., JEAN-FRANCOIS DHAINAUT, M.D., PH.D., ANGEL LOPEZ-RODRIGUEZ, M.D., JAY S. STEINGRUB, M.D., GARY E. GARBER, M.D., JEFFREY D. HELTERBRAND, PH.D., E. WESLEY ELY, M.D., M.P.H., AND CHARLES J. FISHER, JR., M.D., FOR THE RECOMBINANT HUMAN ACTIVATED PROTEIN C WORLDWIDE EVALUATION IN SEVERE SEPSIS (PROWESS) STUDY GROUP*

INTENSIVE INSULIN THERAPY IN CRITICALLY ILL PATIENTS

GREET VAN DEN BERGHE, M.D., PH.D., PIETER WOUTERS, M.Sc., FRANK WEEKERS, M.D., CHARLES VERWAEST, M.D., FRANS BRUYNINCKX, M.D., MIET SCHETZ, M.D., PH.D., DIRK VLASSELAERS, M.D., PATRICK FERDINANDE, M.D., PH.D., PETER LAUWERS, M.D., AND ROGER BOUILLON, M.D., PH.D.

Surviving Sepsis Campaign guidelines for management of severe sepsis

and septic shock



Jak se vařila SSC...
aneb
o čem se mluví méně







United States Patent and Trademark Office

An Agency of the Department of Commerce



United States Patent

Sivers

5,673,694

October 7, 1997

Method and apparatus for continuous measurement of central venous oxygen saturation

Abstract

An apparatus (10) and method for measurement of oxygen saturation of venous blood for use with a central venous catheter (60) are described. The apparatus (10) includes a fiber optic bundle (12) having a distal end (14) and a proximal end (16). The fiber optic bundle (12) further includes afferent and efferent light-conducting fibers (18) for sending signals and receiving signals for generating oxygen saturation measurements. A sheath (28) is disposed about the fiber optic bundle (12) for encapsulating and protecting the fiber optic bundle (12) and exposing the distal end (14) of the fiber optic bundle (12). The apparatus (10) includes a locking device (30) for locking the fiber optic bundle (12) relative to a catheter (11) into which the fiber optic bundle (12) is inserted to fix the relative relationship between the fiber optic bundle (12) and the catheter (11) when disposed in situ during an oxygen saturation measurement procedure.

Inventors: Rivers; Emanuel Phillip (Franklin, MI)

Reprinted from THE WALL STREET JOURNAL.



© 2002 Dow Jones & Company, Inc. All Rights Reserved.

PAGE ONE

New Therapy for Sepsis Infections Raises Hope but Many Questions

By THOMAS M. BURTON August 14, 2008; Page A1



Emanuel P. Rivers

Hospital statisticians who worked on it had concerns about the data and recalculated the results with all 288 patients, according to people familiar with the events. When they did, these people say, the death-rate gap wasn't statistically significant.



Lilly Receives FDA Approval to Market XigrisTM

Wednesday, November 21, 2001

Eli Lilly and Company (NYSE: LLY) announced today that the U.S. Food and Drug Administration (FDA) has approved Xigris TM

"The approval of Xigris breaks new ground," says Mitchell Levy, M.D., F.C.C.M.,








Lilly Receives FDA Approval to Market XigrisTM

Wednesday, November 21, 2001

Eli Lilly and Company (NYSE: LLY) announced today that the U.S. Food and Drug Administration (FDA) has approved Xigris TM

"The approval of Xigris breaks new ground," says Mitchell Levy, M.D., F.C.C.M.,








Lilly Receives FDA Approval to Market XigrisTM

Wednesday, November 21, 2001

Eli Lilly and Company (NYSE: LLY) announced today that the U.S. Food and Drug Administration (FDA) has approved Xigris TM

"The approval of Xigris breaks new ground," says Mitchell Levy, M.D., F.C.C.M.,





Surviving Sepsis — Practice Guidelines, Marketing Campaigns, and Eli Lilly

Peter Q. Eichacker, M.D., Charles Natanson, M.D., and Robert L. Danner, M.D.


"To improve sales of rhAPC, in 2002, Lilly hired Belsito and Company, a public relations firm, to develop and help implement a marketing strategy. The Surviving Sepsis Campaign was established, in theory to raise awareness of severe sepsis and generate momentum toward the development of treatment guidelines."

Surviving Sepsis — Practice Guidelines, Marketing Campaigns, and Eli Lilly

Peter Q. Eichacker, M.D., Charles Natanson, M.D., and Robert L. Danner, M.D.


"..... Lilly provided 90% of the funding and almost all participants had financial or other relationships with the company

The remaining 10% was provided by American Edwards, manufacturer of the PreSep catheter used to treat sepsis."



Special Article ___

Surviving Sepsis Campaign: International guidelines for management of severe sepsis and septic shock: 2008



Special Article _____

Surviving Sepsis Campaign: International Guidelines for Management of Severe Sepsis and Septic Shock: 2012



Special Article _____

Surviving Sepsis Campaign: International Guidelines for Management of Sepsis and Septic Shock: 2016



Andrew Rhodes, MB BS, MD(Res) (Co-chair)¹; Laura E. Evans, MD, MSc, FCCM (Co-chair)²; Waleed Alhazzani, MD, MSc, FRCPC (methodology chair)³; Mitchell M. Levy, MD, MCCM⁴;



Pride Comes Before The Fall



A Randomized Trial of Protocol-Based Care for Early Septic Shock

The ProCESS Investigators*

Goal-Directed Resuscitation for Patients with Early Septic Shock


The ARISE Investigators and the ANZICS Clinical Trials Group*

Trial of Early, Goal-Directed Resuscitation for Septic Shock

Paul R. Mouncey, M.Sc., Tiffany M. Osborn, M.D., G. Sarah Power, M.Sc., David A. Harrison, Ph.D., M. Zia Sadique, Ph.D., Richard D. Grieve, Ph.D., Rahi Jahan, B.A., Sheila E. Harvey, Ph.D., Derek Bell, M.D., Julian F. Bion, M.D., Timothy J. Coats, M.D., Mervyn Singer, M.D., J. Duncan Young, D.M., and Kathryn M. Rowan, Ph.D., for the ProMISe Trial Investigators*

P.E.Marik, myth-buster, status quo destabilizer





Sepsis care: pre-2001 éra:

- 1. Rozpoznej sepsi včas
- 2. Dej ATBs, tekutiny a vazopresory, pokud třeba
- 3. Sleduj pozorně




Post EGDT éra:

- 1. viz 1-3 výše
- 2. "do it better"



Někdy nedělejte nic (wait and watch)



Analýzy prokazují, že brankář má větší šanci chytit penaltu, pokud zůstane stát na místě.

Přesto většina brankářů nepřijme tento fakt.

Vysvětlení: zůstat stát navozuje dojem "hloupého, pasivního" naopak, jakákoliv akce je vnímána jako dobrá snaha, byť neúspěšná



Effect of Systematic Intensive Care Unit Triage on Long-term Mortality Among Critically III Elderly Patients in France A Randomized Clinical Trial

Bertrand Guidet, MD; Guillaume Leblanc, MD; Tabassome Simon, MD, PhD; Maguy Woimant, MD; Jean-Pierre Quenot, MD; Olivier Ganansia, MD; Maxime Maignan, MD; Youri Yordanov, MD; Samuel Delerme, MD; Benoit Doumenc, MD; Muriel Fartoukh, MD; Pierre Charestan, MD; Pauline Trognon, MD; Bertrand Galichon, MD; Nicolas Javaud, MD; Anabela Patzak, MD; Maïté Garrouste-Orgeas, MD; Caroline Thomas, MD; Sylvie Azerad, PharmD; Dominique Pateron, MD; Ariane Boumendil, PhD; for the ICE-CUB 2 Study Network

Key Points

Question Does a program to increase intensive care unit (ICU) admission rates among critically ill elderly patients have a

1.66-1.95). After adjustments for baseline characteristics, patients in the systematic strategy group were more likely to be admitted to an ICU (RR, 1.68; 95% CI, 1.54-1.82) and had a higher risk of in-hospital death (RR, 1.18; 95% CI, 1.03-1.33) but had no significant increase in risk of death at 6 months (RR, 1.05; 95% CI, 0.96-1.14). Functional status and physical quality of life at 6 months were not significantly different between groups.

6 months vs standard practice (adjusted relative risk, 1.05).

Meaning A program to promote systematic ICU admission among critically ill elderly patients increased ICU use but did not reduce 6-month mortality.





Fig. 3 Illustration of possible injury pathways that might be associated with overzealous fluid resuscitation in patients at risk of or developing septic AKI (interpretation of data from references [29–32])

AXIOM moderní (intenzivní) medicíny

spokojený lékař z spokojený pacient



Normalizace fyziologie, cílená na čísla, může být škodlivá





I "těžké váhy" se mohou mýlit





CHEST 1998; 114:854-860

Reviews

The Hemodynamic Derangements in Sepsis*


Implications for Treatment Strategies

Paul E. Marik, MD, FCCP; and Joseph Varon, MD, FCCP

"Aggressive volume resuscitation is considered the best initial therapy for the cardiovascular instability of sepsis. Hypotension can often be reversed with fluid administration alone. Fluid requirements for the initial resuscitation of patients with septic shock are frequently large, with up to 10 L of crystalloid or 4 L of colloid being required in the first 24 hours".

"charisma-based medicine"

I "těžké váhy" se mohou mýlit





CHEST 1998; 114:854-860

Reviews

The Hemodynamic Derangements in Sepsis*

Implications for Treatment Strategies

Paul E. Marik, MD, FCCP; and Joseph Varon, MD, FCCP

"Aggressive volume resuscitation is considered the best initial therapy for the cardiovascular instability of sepsis. Hypotension can often be reversed with fluid administration alone. Fluid requirements for the initial resuscitation of patients with septic shock are frequently large, with up to 10 L of crystalloid or 4 L of colloid being required in the first 24 hours".

A rational approach to fluid therapy in sepsis

P. Marik^{1,*} and R. Bellomo² British Journal of

British Journal of Anaesthesia, 116 (3): 339-49 (2016)

Great myth in the managmenent of sepsis: "sepsis is primarily a volume-depleted state"





CHEST

Postgraduate Education Corner

CONTEMPORARY REVIEWS IN CRITICAL CARE MEDICINE

Hemodynamic Evaluation and Monitoring in the ICU*

Michael R. Pinsky, MD, FCCP

Hemodynamic Monitoring Truths

Tachycardia is never a good thing.

Hypotension is always pathologic.


There is no such thing as normal cardiac output.

Central venous pressure is only elevated in disease.


Peripheral edema is of cosmetic concern.



Podobná klinická prezentace (klinicky fenotyp)




Odlišná buněčná a molekulární odpověď



Classification of patients with sepsis according to blood genomic endotype: a prospective cohort study THE LANCET

Brendon P Scicluna, Lonneke A van Vught, Aeilko H Zwinderman, Maryse A Wiewel, Emma E Davenport, Katie L Burnham, Peter Nürnberg, Marcus J Schultz, Janneke Horn, Olaf L Cremer, Marc J Bonten, Charles J Hinds, Hector R Wong, Julian C Knight, Tom van der Poll, on behalf of the MARS consortium*


2017



Classification of patients with sepsis according to blood genomic endotype: a prospective cohort study THE LANCET

Brendon P Scicluna, Lonneke A van Vught, Aeilko H Zwinderman, Maryse A Wiewel, Emma E Davenport, Katie L Burnham, Peter Nürnberg, Marcus J Schultz, Janneke Horn, Olaf L Cremer, Marc J Bonten, Charles J Hinds, Hector R Wong, Julian C Knight, Tom van der Poll, on behalf of the MARS consortium*

2017




Typ 1 - Sepsis response signature 40%

2x vyšší mortalita Imunoparalytický fenotyp Typ 3,4 -Sepsis response signature Proinflamatorní fenotyp

Classification of patients with sepsis according to blood genomic endotype: a prospective cohort study THE LANCET

Brendon P Scicluna, Lonneke A van Vught, Aeilko H Zwinderman, Maryse A Wiewel, Emma E Davenport, Katie L Burnham, Peter Nürnberg, Marcus J Schultz, Janneke Horn, Olaf L Cremer, Marc J Bonten, Charles J Hinds, Hector R Wong, Julian C Knight, Tom van der Poll, on behalf of the MARS consortium*

2017



- Imunoparalýza je u řady pacientů přítomna velmi časně
- Jednotlivé SRS nelze rozpoznat klinicky!

Hemopurifikační metody



CytoSorb aneb dvakrát do stejné řeky...




největší ryze elektronický burzovní trh v USA



Zastavte cytokiny dříve, než oni zastaví vás ® (M. Matějovič)


Bridge over troubled water?



Real big deal



"Inspirováno slezinou" aneb skutečně nový koncept - bioslezina




Magnetické nanoperličky s lidskými opsoniny (MBL) Bez aktivace komplementu, koagulace, inflamace




medicine

published online 14 September 2014;









Wyss Institute for Biologically Inspired Engineering, Boston, Massachusetts, USA. Harvard School of Engineering and Applied Sciences, Cambridge, Massachusetts, USA









Concepts in Emergency and Critical Care

Roger C. Bone, MD, Section Editor


Reevaluation of the Role of Cellular Hypoxia and Bioenergetic Failure in Sepsis

Richard S. Hotchkiss, MD, Irene E. Karl, PhD

JAMA 1992;267:1503








by Mervyn Singer


Metabolicko-bioenergetický re-programming




Úsporný režim











Co mají společného?

Meningokoková infekce

Pooperační pneumonie





Co mají společného?


STSS




Ebola virus



Vysoké riziko úmrtí Život ohrožující orgánová dysfunkce Sepse jako kognitivní koš všech druhů predátorů (patogenů), druhů kořisti (pacienta) a zásahů medicíny




Geocentrický model sepse 80-90.let




...přinesl téměř 30 let nereprodukovatelných RCT



Milá sepse, ve skutečnosti neexistuješ!







The Biggest Key to Happiness: Growing from adversity



In studies of people facing trauma, many describe their experience as a catalyst for profound change and transformation, leading to a phenomenon known as "post-traumatic growth".